Velocity Conversions in DLL file

1 Introduction

The conversion DLL file of unit Velocity is written in C/C++ programming language style, and do not require any extra code in using this DLL file. This DLL file includes 2 functions to handle the Velocity conversions as follow:


```
double LP_UnitConversionsVelocity_GetLeftValue (char* LeftUnit, char* RightUnit, double RightValue) ;
double LP_UnitConversionsVelocity_GetRightValue(char* LeftUnit, char* RightUnit, double LeftValue) ;
```

2 Problems in Velocity conversion

The two functions in DLL file are used to handle all Velocity conversions in two problems.

<u>Problem 1</u> The unknown value is on the **left hand side** of equation

This problem in conversions is described in the figure:



The value x is obtained by either one of two methods:

• Method A : The code is :

```
double x = LP_UnitConversionsVelocity_GetLeftValue("FootPerSecond", "MeterPerHour", 1.89)
```

• Method B : The code is :


```
char LeftUnit[] = "FootPerSecond" ;
char RightUnit[] = "MeterPerHour" ;

double RightValue = 1.89 ;

double x = LP_UnitConversionsVelocity_GetLeftValue(LeftUnit, RightUnit, RightValue) ;
```

<u>Problem 2</u> The unknown value is on the **right hand side** of equation

This problem in conversions is described in the figure:



The value y is obtained by either one of two methods:

• Method A : The code is :

```
double y = LP_UnitConversionsVelocity_GetRightValue("FootPerSecond", "MeterPerHour", 2.0)
```

• Method B : The code is :

```
char LeftUnit[] = "FootPerSecond" ;
char RightUnit[] = "MeterPerHour" ;

double LeftValue = 2.0 ;

double y = LP_UnitConversionsVelocity_GetRightValue(LeftUnit, RightUnit, LeftValue) ;
```

(...continue in next page)

3 Unit names in Velocity conversions

You can choose the unit name (case sensitive) in the following table for parameters, LeftUnit and/or RightUnit

MillimeterPerSecond	InchPerSecond
MillimeterPerMinute	InchPerMinute
MillimeterPerHour	InchPerHour
CentimeterPerSecond	FootPerSecond
CentimeterPerMinute	FootPerMinute
CentimeterPerHour	FootPerHour
MeterPerSecond	FootPerDay
MeterPerMinute	YardPerSecond
MeterPerHour	YardPerMinute
MeterPerDay	YardPerHour
KilometerPerSecond	MilePerSecond
KilometerPerMinute	MilePerMinute
KilometerPerHour	MilePerHour
KilometerPerDay	MilePerDay

When your unit name is not in this table, the returns of functions are -1 and the error message will issue as shown in the following figures:





4 Tip

- 1. The parameters in two functions have the same order of unit name (LeftUnit is first and RightUnit is second) and the last parameter is the known value.
- 2. Use function LP_UnitConversionsVelocity_GetLeftValue(..) if your **unknown** value is on the **left** hand side of the equation.
- 3. Use function LP_UnitConversionsVelocity_GetRightValue(..) if your **unknown** value is on the **right** hand side of the equation.