

Density Conversions in DLL file

1 Introduction:

The conversion DLL file of unit Density is written in C/C++ programming language style, and do not require any extra code in using this DLL file. This DLL file includes 2 functions to handle the Density conversions as follow:

```
double LP_UnitConversionsDensity_GetLeftValue (char* LeftUnit, char* RightUnit, double RightValue) ;
double LP_UnitConversionsDensity_GetRightValue(char* LeftUnit, char* RightUnit, double LeftValue ) ;
```

In Visual Basis, you can identify these functions with the code:

```
Declare Function LP_UnitConversionsDensity_GetLeftValue Lib "LP_UnitConversionsDensity.dll" _
    (ByVal LeftUnit As String, ByVal RightUnit As String, ByVal RightValue As Double) As Double
```

```
Declare Function LP_UnitConversionsDensity_GetRightValue Lib "LP_UnitConversionsDensity.dll" _
    (ByVal LeftUnit As String, ByVal RightUnit As String, ByVal RightValue As Double) As Double
```

2 Problems in Density conversion

The two functions in DLL file are used to handle all Density conversions in two problems.

Problem 1 The unknown value is on the **left hand side** of equation

This problem in conversion is described in the figure:

$$\begin{array}{ccccccc} \text{left value} & \text{left unit} & & \text{right value} & \text{right unit} & & \\ \swarrow & \swarrow & & \swarrow & \swarrow & & \\ x & \text{lb/ft}^3 & = & 12.9 & \text{kg/m}^3 & & \end{array}$$

The value x is obtained by either one of two methods:

- Method A : The code is :

```
Dim x As Double
x = LP_UnitConversionsDensity_GetLeftValue("PoundPerCubicFoot", "KilogramPerCubicMeter", 12.9)
```

- Method B : The code is :


```
Dim LeftUnit, RightUnit As String
LeftUnit = "PoundPerCubicFoot"
RightUnit = "KilogramPerCubicMeter"

Dim RightValue As Double
RightValue = 12.9

Dim x As Double
x = LP_UnitConversionsDensity_GetLeftValue(LeftUnit, RightUnit, RightValue)
```

Problem 2 The unknown value is on the **right hand side** of equation

This problem in conversions is described in the figure:



The value y is obtained by either one of two methods:

- Method A : The code is :

```
Dim y As Double
y = LP_UnitConversionsDensity_GetRightValue("PoundPerCubicFoot", "KilogramPerCubicMeter", 2.0)
```

- Method B : The code is :

```
Dim LeftUnit, RightUnit As String
LeftUnit = "PoundPerCubicFoot"
RightUnit = "KilogramPerCubicMeter"

Dim LeftValue As Double
LeftValue = 2.0


Dim y As Double
y = LP_UnitConversionsDensity_GetRightValue(LeftUnit, RightUnit, LeftValue)
```

3 Unit names in Density conversions


You can choose the unit name (case sensitive) in the following table for parameters, LeftUnit and/or RightUnit

MilligramPerCubicMillimeter	OunceAvoirPerCubicInch
MilligramPerCubicCentimeter	OunceAvoirPerCubicFoot
MilligramPerLiter	OunceAvoirPerUSGallon
MilligramPerCubicMeter	OunceAvoirPerUKGallon
GramPerCubicMillimeter	OunceTroyPerCubicInch
GramPerCubicCentimeter	OunceTroyPerCubicFoot
GramPerLiter	OunceTroyPerUSGallon
GramPerCubicMeter	PoundPerCubicInch
KilogramPerCubicMillimeter	PoundPerCubicFoot
KilogramPerCubicCentimeter	PoundPerCubicYard
KilogramPerLiter	PoundPerUSGallon
KilogramPerCubicMeter	PoundPerUKGallon
MetricTonPerCubicMeter	ShortTonPerCubicFoot
GrainPerUSGallon	ShortTonPerCubicYard
GrainPerUKGallon	LongTonPerCubicFoot
SlugPerCubicFoot	LongTonPerCubicYard

When your unit name is not in this table, the returns of functions are -1 and the error message will issue as shown in the following figures:



or



4 Tip

1. The parameters in two functions have the same order of unit name (LeftUnit is first and RightUnit is second) and the last parameter is the known value.
2. Use function `LP_UnitConversionsDensity_GetLeftValue(..)` if your **unknown** value is on the **left hand side** of the equation.
3. Use function `LP_UnitConversionsDensity_GetRightValue(..)` if your **unknown** value is on the **right hand side** of the equation.